

# SURPLUS WAR PROPERTY

## ITEMS OF INTEREST TO REA BORROWERS

*Speedy Action Essential..* IF YOU DESIRE THESE MATERIALS

May 1, 1946

MA TERIAL: Drawing sets-Braces-eye bolts-generators-wire-grips

CONDITION: New unless otherwise shown.

PRICE: As shown below, f.o.b. Carrier

TIME LIMIT: Telegraph us your order immediately as these materials are held for REA activities for a very short period.

ORDER INSTRUCTIONS: Telegraph order should include order number. In addition, mail two copies of your order marked "Confirmation of telegram."

ITEM NO.	QUAN.	DESCRIPTION	UNIT PRICE
1.	75	INSTRUMENT DRAWING SETS, Field set, Army Stock No. 18-4278 400-400, Mfg. by "Dietzgen Commander", drawing instruments combination set consists of 21 pieces contained in an Imitation Leather folder (black), lined with blue velvet cloth, size of case 10" x 6 1/2" lid fastens with two metal snaps. Location: Pasco, Washington	\$12.00
2.	507 (bundles of twenty)	CROSSARM BRACE, made from 3/16" strap iron. 3/16" wide by 28" long Galv. 1/2" hole in cen- ter 3/4" from each end. Location: Ogden, Utah	\$ .1527
3.	858	EYE BOLTS, Bent eye 3/4 x 12" 6" thread Ga v. Angle No Thimbleye, Hubbard #9162, Geco #S8162 or equal. Location: Ogden, Utah	\$ .30
4.	10,950	DOUBLE ARMING BOLTS, 5/8" x 14" Galvanized 4 nuts with each bolt. Location: Ogden, Utah	\$ .15
5.	34,865	CONNECTOR-WIRE, Solderless, Brass, for No. 6 AWG. Solid Wire. Location: Ogden, Utah	\$ .1152

In all communications to REA concerning  
these items, please refer to SWP Release: 144

(over)




In all communications to REA concerning  
these items, please refer to SWP Release: 144

May 1, 1946

ITEM NO.	QUANTITY	DESCRIPTION	UNIT PRICE
6.	39	GENERATORS, Portable Gasoline engine driven: Onam Electric Plant Model W 3M Serial # 235071, 3000 Watts 115 Volts A.C. Single Phase 26.1 Amps. 1800 RPM Generator #60480 Direct Connected to a 2 cylinder, 4 cycle gas engine Water Cooled "L" Head, Mannally started by hand Crank. Magneto ignition engine speed 1800 RPM Controlled by governor. Engine and generator mounted on skid base. Generator is 4 pole self excited. Unit is completely housed and has re- movable steel side panels complete with tools and spare parts. Location: Ogden, Utah	\$ 313.00
7.	61	GENERATORS, 10 KW, 240 volt, 3 phase, 3 wire, 60 cycle Westinghouse, powered by Continental engine with complete switchboard, spare parts and tools. Location: Ogden, Utah	\$ 838.40
8.	108438 ft. (Coils of 1220')	WIRE, Bare Copper # 2, 7 Strands MHD (Midland Wire Corp. Location: Granite City, Illinois	\$ .033 per foot
9.	1911	GRIPS or "Come alongs". #4030 with wire clamp assembly (Manufacturer-Brewer Tichener Corp.) #203 (also Brewer Tichener Corp) similar to Klein grip #1613-30. Location: Philadelphia, Pa.	\$ 2.75
10.	209	GENERATING UNITS, 7 1/2 KW, single phase 120 V Location: Philadelphia, Pa.	\$ 650.00
11.	61	GENERATING UNITS, 10 KW, US Motors, 120/240 V, single phase. Location: Philadelphia, Pa.	\$ 875.00

Nationwide



*J. Warner Pyles*  
J. Warner Pyles, Head  
Surplus War Property Office  
Management Division



11933  
Sm 7  
Cap 3

# SURPLUS WAR PROPERTY

## ITEMS OF INTEREST TO REA BORROWERS

*Speedy Action Essential..* IF YOU DESIRE THESE MATERIALS

May 3, 1946

MATERIAL: Screw anchors-expanding anchors-anchor rods- clamps  
eye bolts- staples etc.

CONDITION: New unless otherwise shown.

PRICE: As shown below, f.o.b., Carrier

TIME LIMIT: Telegraph us your order immediately as these materials  
are held for REA activities for a very short period.

ORDER INSTRUCTIONS: Telegraph order should include order number. In addition,  
mail two copies of your order marked "Confirmation of  
telegram".

ITEM NO.	QUANTITY	DESCRIPTION	UNIT PRICE
1	50	Screw anchors, Hubbard 7528	\$ 3.65
2	4,057	Screw anchors, 6", Chance #6346	\$ 1.70
3	6,000	Expanding anchors, 8", 2-way, Chance #826	\$ 1.35
4	2,488	Expanding anchors, 10", 4-way, Chance	\$ 2.85
5	44,495	Anchor Rods, 5/8" x 6', oval eye	\$ .65
6	33,100	Anchor Rods, 5/8" x 8', oval eye	\$ .65
7	9,714	Anchor Rods, 5/8" x 6'	\$ .65
8	27,850	Anchor Rods, 5/8" x 7'	\$ .75
LOCATION: Items 1 through 8 - Belle Meade, New Jersey			
9	130	Ground Clamps, 3/4", Copperweld Location: Buffalo, New York	\$ .15
10	120,264	Guy Clamps, three bolt, 6" long Location: Belle Meade, New Jersey	\$ .22

In all communications to REA concerning  
these items, please refer to SWP Release: 145

(OVER)



In all communications to REA concerning  
these items, please refer to SWP Release: 145

May 3, 1946

ITEM NO.	QUANTITY	DESCRIPTION	UNIT PRICE
11	1,793	Angle Eye Bolts, 3/4" x 12"	\$ .30
12	52,540	Staples	\$ .04/lb.
13	458	Groundrod Clamps, 5/8", Hubbard 9592 or Joslyn 8492	\$ .14
14	5,392	Angle Eye Bolts, 5/8" x 6", Seyler #5006	\$ .14
15	13,433	Anchor Shackles	\$ .17
16	3,000	Lag Screws, 1/2" x 4"	\$ .025
17	3,093	Guy Attachments	\$ .18


LOCATION: Items 11 through 17 - Philadelphia, Pennsylvania

18	4,100	Cable Connector, Split bolt type for No. 6 solid wire, Cat. No. 3403. Mfg by Line Material Co. Packed 100 to carton Location: Pasco, Washington	\$ .10
19	643,988 lbs.	#12 single conductor, diameter .080, 40% conductivity copperweld wire	\$ .15/lb.
20	13,408 lbs.	#6 single conductor, diameter .162, 40% conductivity copperweld wire	\$ .15/lb.

LOCATION: Items 19 and 20 - Salt Lake City, Utah

*J. Warner Pyles*  
J. Warner Pyles, Head  
Surplus War Property Office  
Management Division

In all communications to REA concerning  
these items, please refer to SWP Release: 145





# SURPLUS WAR PROPERTY

## ITEMS OF INTEREST TO REA BORROWERS

*Speedy Action Essential..* IF YOU DESIRE THESE MATERIALS

May 7, 1946

**MATERIAL:**

**CONDITION:** New unless otherwise shown.

**PRICE:** As shown below, f.o.b., Carrier

**TIME LIMIT:** Telegraph us your order immediately as these materials are held for REA activities for a very short period.

**ORDER INSTRUCTIONS:** Telegraph order should include order number. In addition mail two copies of your order marked "Confirmation of telegram."


ITEM NO.	QUANTITY	DESCRIPTION	UNIT PRICE
1.	7	POWER UNIT: 10KW, 120/240 volts, 104/52 amps, 60 cycle, single phase, 80% power factor, self excited. Mfr: W.D. Onan & Sons. Model OS10 driven directly by Willys gasoline engine, 4 cylinder, 35HP, 1800 RPM, water cooled, with control panel consisting of AC Voltmeter, AC Ammeter, fuel gauge, battery charging rate meter, oil pressure gauge, water temperature gauge, running time meter, frequency meter, circuit breaker, trouble lamp receptacle. Start-stop switch, oil pressure safety switch, overhead safety switch, skid mounted. Loc: Baltimore, Maryland.	\$ 750.00 ea.
2.	1	POWER UNIT PE95G: gasoline electric generating set, Onan generator Model OS10 AC, Revolving field, self exciting, 10 KW, 120-240 volts, 102/52 amps, 80% power factor, 60 cycle, 1 phase, 3 wires, 1 ball bearing, Class A Insulation. Engine: 4 cylinder, 4 cycle, L head, 35HP, 3 phase, 60 cycle, 1800 RPM, liquid cooled, electric starting, Willys Model J441, with 3-1/8" bore, 4-3/8" stroke, equipped with oil-bath air cleaner, pressure lubricating system, 12 volt electric	750.00 ea.

In all communications to REA concerning these items, please refer to SWP Release: 146

(over)



ITEM NO.	QUANTITY	DESCRIPTION	UNIT PRICE
2.(cont'd)		system. Mechanical governor, Battery ignition system, oil pressure safety switch, overheating safety switch. Fuel tank capacity $10\frac{1}{2}$ gallons. Fuel consumption per hour at rated load 1.8 gallons. Radio shielded. Connected direct to generator. Mounted above generator is a fully enclosed control panel which contains, AC Volt-meter, AC ammeter, Fuel gauge, Battery charge rate meter, oil pressure gauge, water temperature gauge, running time meter, Frequency meter, circuit breaker, trouble lamp receptacle. Start-Stop switch, DC output fuse. Unit mounted on steel skid overall length of unit $67\frac{1}{2}$ " x $27\frac{1}{4}$ " wide x $38\frac{1}{2}$ " high. Mfr O'Keefe: Merritt. Loc: Baltimore, Md.	
3.	10	GENERATOR PLANT 3 KW; 110 volt, 60 cycle, single phase, gasoline engine driven, 2 cylinder, 4 cycle, water cooled Onan Model W3M-21, steel skid mounted, including spare parts and accessories. Loc: Huntington, W. Va.	\$357.00
4.	5	5 KW, 7.2 KVA, 115 volts, 60 cycle, single phase 62 amps, 1800 RPM gasoline engine driven generator set, portable skid mounted. Onan Model WC4-7-5S. Ford Engine, Model 2NY. V-57857. Loc: Richmond, Va.	\$540.00
5.	2647 ft.	ROPE, Sisal, 5/16" diameter Mildew Resistant treated 1" circumference. Loc: Ft. Crook, Neb.	.155
6.	47786 ft.	ROPE, Sisal, 5/16", Mildew Resistant treated. Loc: Ft. Crook, Neb.	.155
7.	2896 ea.	BOLT, eye: thimble, 45 degree angle, 5/8" diam x 14" lg; (Joslyn #J8153, or Hubbard #6014; zinc or cadmium plate with iridate or chromate treatment; drop forged steel rolled thread 6" lg with square nut. (SC Stk No. 5R1640-14). Loc: Los Angeles, Calif.	.25
8.	18,396 ea.	WASHER, Square: GI, Hubbard or equal; $2\frac{1}{4}$ x $2\frac{1}{4}$ x $3/16$ " with $11/16$ " Hole. Loc: Los Angeles.	.015
9.	1,534 lb.	WIRE, Tie: #10 American Wire Gauge; Copper Weld, Gripflex. Consist off: 1 Reinforcing Wire #9, 12" lg. 1 Binding Wire #10, 22" lg. Loc: Los Angeles	.30
10.	5,431 ea.	CONNECTOR: Wire, #6 AWG, Grass, Solderless Reliable Co. #165 B or equal. Loc: Los Angeles	.10



J. Warner Pyles, Head  
Surplus War Property Office  
Management Division



# SURPLUS WAR PROPERTY

## ITEMS OF INTEREST TO REA BORROWERS

*Speedy Action Essential...* IF YOU DESIRE THESE MATERIALS

May 8, 1946

**MATERIAL:** As shown below.

**CONDITION:** New unless otherwise shown.

**PRICE:** As shown below, f.o.b., Carrier

**TIME LIMIT:** Telegraph us your order immediately as these materials are held for REA activities for a very short period.

**ORDER INSTRUCTIONS:** Telegraph order should include order number. In addition mail two copies of your order marked "Confirmation of telegram".

ITEM NO.	QUANTITY	DESCRIPTION	LOCATION	UNIT PRICE
		<u>WIRE</u>		
1.	30,750 lbs.	H.D. COPPER, #2 stranded bare.	Saratoga Springs, N.Y.	\$.16 lb.
2.	2,153 lbs.	# 2 stranded.	Saratoga Springs, N.Y.	.16 lb.
3.	38,928 lbs.	# 4 stranded H.D. bare.	Saratoga Springs, N.Y.	.16 lb.
4.	36,071 lbs.	# 4 stranded H.D.	Saratoga Springs, N.Y.	.16 lb.
5.	1,463 lbs.	# 3 stranded H.D.	Saratoga Springs, N.Y.	.16 lb.
6.	2,049 lbs.	# 2 stranded H.D.	Schenectady, N.Y.	.16 lb.
7.	10,245 lbs.	# 2 stranded	Schenectady, N.Y.	.16 lb.
8.	300,000 ft.	WIRE ROPE, 3/8", 6 x 19 strand, hemp center	Boston, Mass.	.04 lb.
9.	30,000 ft.	WIRE ROPE, 7/16", 6 x 19 strand, hemp center	Boston, Mass.	.05 lb.
10.	3	TRANSFORMER, 500KVA, 13,800/2400/4160V	Boston, Mass.	Offer a Price.

In all communications to REA concerning these items, please refer to SWP Release: 147

(over)




May 8, 1946

ITEM NO.	QUANTITY	DESCRIPTION	LOCATION	UNIT PRICE
11.	349	ROCK ANCHORS, Joslyn J-3436	Boston,	\$ 1.25 ea.
12.	4,700	HARD WOOD ROLLERS, 5" dia.x 8'	New York	*
13.	4,250	HARD WOOD ROLLERS, 5" dia.x 6'	New York	*
* Note: If you can use item 12, 13 for deadmen, include price offer in your telegram.				
14.	5,965	THIMBLE EYE, 5/8" x 14" angle. Hub. 60/4	New York	.28 ea.
15.	366,498	CARRIAGE BOLTS, 3/8" x 4" galv.	New York	.014 ea.
16.	4,464	THIMBLE EYE NUTS, 5/8"	New York	.24 ea.
17.	220,807	MACHINE BOLTS, 5/8" x 8"	New York	.08 ea.
18.	12,678	MACHINE BOLTS, 5/8" x 18"	New York	.15 ea.
19.	112,027	BRACES, 30"	New York	.15 ea.
20.	1,522	EYE BOLT, 3/4" x 12" angle	New York	.37 ea.
21.	220	CROSSARM PINS, 1" thread	New York	.25 ea.
22.	31,874	MACHINE BOLTS, 5/8" x 14" Seyler 8814	New York	.11 ea
23.	852	BOLT, eye, Angle, thimbleye; steel drop forged, zinc or cedmium plated with eridite or chromate treatment; 3/4" x 16" lg; 45 degree angle; Hubbard Chance #616 or equal, with square nut.	Los Angeles	.40 ea.
24.	2,806	WASHER, Sq. galvanized iron; 3 1/2" x 3 1/2" x 3/8" with 15/16" hole for 3/4" or 7/8" anchor rods. Hubbard #7826, or equal.	Los Angeles	.05 ea.
25.	6,169 ft.	#8-2 Romex Wire and Cable, Sheathed non-Metallic.	Houston, Tex.	\$86.83 per M Ft.
26.	30047 ft.	WIRE, insulated - low tension, single conductor, unshielded, copper, 4 gauge, spec. AN-J-C-48A.	Los Angeles	.035
27.	4500 ft.	CABLE - AN/4 Low Tension, Spec. AN-JC-48A, 4 gauge, wt. .15#/ft.	Los Angeles	.035

*J. Warner Pyles*  
J. Warner Pyles, Head  
Surplus War Property Office  
Management Division





# SURPLUS WAR PROPERTY

## ITEMS OF INTEREST TO REA BORROWERS

*Speedy Action Essential..* IF YOU DESIRE THESE MATERIALS

May 16, 1946

MATERIAL: As shown below.

CONDITION: New unless otherwise shown.

PRICE: As shown below, f.o.b., Carrier.

TIME LIMIT: Telegraph us your order immediately as these materials are held for REA activities for a very short period.

ORDER INSTRUCTIONS: Telegraph order should include order number. In addition mail two copies of your order marked "Confirmation of telegram".

ITEM NO.	QUANTITY	DESCRIPTION	LOCATION	UNIT PRICE
1.	24,200	* CROSS ARMS, creosoted, $3\frac{1}{2}$ " x $4\frac{1}{2}$ " x 10'.	Belle Meade, N.J.	\$ 1.00 ea.
2.	14,361	* CROSS ARMS, creosoted, $3\frac{1}{2}$ " x $4\frac{1}{2}$ " x 8'.	Belle Meade, N.J.	.90 ea
		*NOTE: Reverse side for detail how these arms can be used. For transmission construction.		
3.	1,000	GRIP, wire pullers. Come along type. Malleable iron, zinc plated by the Sherardizing process, for No. 0 wire or smaller. Ring is $\frac{3}{8}$ " iron, dia. $4\frac{1}{2}$ ". Attached are 2 blocks 3 x 2" riveted together and attached to ring. Mfg: Hubbard & Co. Chicago, Ill.	Ogden, Utah	2.00 ea
4.	5,502	POLE BANDS, four way for 11" poles. Locke J-6353	Philadelphia	1.50 ea


*J. Warner Pyles*  
J. Warner Pyles, Head  
Surplus War Property Office  
Management Division

In all communications to REA concerning these items, please refer to SWP Release: 149

(over)



# SUGGESTED METHOD OF BOLTING. 2-3/4" x 4 1/4" x 10-0 CROSS ARMS FOR TRANSMISSION CONSTRUCTION



If suspension construction is used, eye bolt will hold cross arms together at the ends.



1.933  
507  
Cop. 3

UNITED STATES DEPARTMENT OF AGRICULTURE  
Rural Electrification Administration  
Washington 25, D. C.

# SURPLUS WAR PROPERTY

## ITEMS OF INTEREST TO REA BORROWERS

*Speedy Action Essential..* IF YOU DESIRE THESE MATERIALS

May 24, 1946

### SPECIAL RELEASE TRANSPORTATION EQUIPMENT

We have on file approximately 200 unfilled requests from REA Cooperatives for trucks, trailers, passenger cars, etc. We are taking this means of answering these requests instead of writing individual letters to each Cooperative, and at the same time provide information to other REA Cooperatives as to the status of transportation equipment to be obtained through Surplus War Properties.

In April, 1946, Congress passed the O'Mahoney-Monasco Amendment to the Surplus War Property Act. This amendment makes it mandatory that the War Assets Administration set aside all equipment listed below for exclusive purchase by veterans of World War II for a period of 20 days at each sale:

#### Automotive vehicles:

Passenger cars (used)  
Passenger cars (new)  
Trucks  
Jeeps  
All types 2 1/2 tons or less  
Motorcycles, scooters  
Trailers  
Bomb trucks  
All other trailers

#### Typewriters

Construction, mining and excavating machinery.  
Tractor-type scrapers.  
Air-compressors  
Batching plants  
Crushing and screening plants  
Ditching machines  
Cranes, shovels and draglines

#### Tractors:


D4 and R4 Caterpillar--36-45 DBHP or equal  
D7 Caterpillar--61-90 DBHP or equal  
D8 Caterpillar--91-140 DBHP or equal  
TD9 International--36-45 DBHP or equal  
TD14 International--46-60 DBHP or equal  
TD6 International--46-60 DBHP or equal

#### Agricultural machinery:

Land levelers  
Plows

#### Medical, surgical and dental apparatus and equipment:

Major operating tables  
Operating lamps--Field X-ray units  
Diathermy machines  
Dental units, chairs, cabinets



In all communications to REA concerning these items, please refer to SWP Release 150


(OVER)



Experience up to now has shown that when the veterans have completed purchases at each sale, there is usually nothing left, or whatever is left, is not worth buying.

However, we are continuing to watch each sale, and if any suitable equipment is available after priority holders have completed purchasing, the REA Cooperatives' requests will be honored.

It is important that each Cooperative having a request or an order on file in this office for equipment of the type listed herein, notify us immediately if it obtains such equipment elsewhere or if it no longer needs same. Such action on the part of the Cooperative will assist us in keeping the records in this office straight.



J. Warner Pyles, Head  
Surplus War Property Office  
Management Division

In all communications to REA concerning these items, please refer to SWP Release 150.



# SURPLUS WAR PROPERTY

## ITEMS OF INTEREST TO REA BORROWERS

*Speedy Action Essential..* IF YOU DESIRE THESE MATERIALS

May 29, 1946

MATERIAL: As shown below.

CONDITION: New unless otherwise shown.

PRICE: As shown below, f.o.b., Carrier. Arrange group orders.

TIME LIMIT: Telegraph us your order immediately as these materials are held for REA activities for a very short period.

ORDER INSTRUCTIONS: Telegraph order should include order number. In addition mail two copies of your order marked "Confirmation of telegram".

ITEM NO.	QUANTITY	DESCRIPTION	LOCATION	UNIT PRICE
1.	3,114 (Min. order 250)	CROSS ARMS, 4 wood pin. 3 1/4" x 4 1/4" x 4' 0". Creosoted. 4 wood pin included.	Spartans- burg, S.C.	\$ .40 ea.
2.	300,000 (Min. order 1500)	WOOD PINS, 1 1/4". Locust and oak. These pins are suitable to be used on Cross Arms advertised in SWP 149 Release to plug up wood pin holes.	Richmond, Va.	.0075 ea.
3.	2 Lots	DEAD END, straight line copper clamp. Galv. Iron clevis for #4 stranded or #2 solid. Reliable. 2 Lots of 474 each.	Cincinnati, Ohio	118.00 per lot
4.	7 Lots	DEAD END, straight line for #4 solid, or #6 stranded, swivel end, malleable iron. Reliable Cat. #410. 7 Lots of 394 each.	Cincinnati, Ohio	95.00 per lot
5.	3	FRONT AXLE AND WHEEL HUB ASSEMBLY Chevrolet No. 3659725.	Philadelphia.	430.00 ea.

*J. Warner Pyles*  
J. Warner Pyles, Head  
Surplus War Prop. Office  
Management Division

In all communications to REA concerning these items, please refer to SWP Release 151.



LIBRARY  
CURRENT SERIAL RECORD  
JUN 11 1946  
U. S. DEPARTMENT OF AGRICULTURE